

TT SMART VISION

Face Recognition law enforcement



TT SMART VISION CO., LTD.

The system that analyzes, checks and recognizes faces of people with unlimited number or more than 5,000 faces. The behavior of the system will be Share Load in multiple servers. Then will rely on Sever CMS Management as an intermediary to send face data to compare images. With database of various servers in the system Which will work with high quality IP Camera to capture and compare the faces of people passing through the camera, compared to the person's image in the database. After that, the alert will be sent to the Sever CMS Management immediately. Said that it is suitable to be used to check the safety of many people, such as Bank, big public safety



TT SMART VISION

Face Recognition law enforcement



TT SMART VISION CO., LTD.

System features (Software)

- The system can detect faces with more than 95% accuracy.
- Three-face detection system can detect multiple faces simultaneously
- The system can analyze facial similarities from the structure of the face.
- The system can add master face data for comparison.
- The system can determine the level of accuracy in comparison.
- The system can monitor more than 5,000 faces of a person, depending on the needs.
- Supports Sever CMS Management to manage large systems
- The system can display similar values
- There is a system to manage face data such as searching, recording, editing.
- There is a system to send image data via File transfer protocol
- Supports SQL database, MySQL, Oracle
- Every recorded face will be collected when entering the door for easy searching.
- The system can record unlimited faces. Depending on the storage area of the computer

Features of the camera

- High resolution (Network Camera), resolution not less than 3MP or better
- can change the distance of the lens To get the desired image distance
- Low-pass filter technology for cutting bright light (The area that is very backlit) to get a clear picture
- There is an infrared set For shining images at night
- The camera supports standard IP66 applications in case of external installation.

TT SMART VISION

Face Recognition law enforcement



TT SMART VISION CO., LTD.

Installation equipment

- Camera for capturing, analyzing, detecting and recognizing faces and housing
- Infrared set (in the case of low light and want to see the night image)
- Comprehensive computer set introducing Corei7 Gen6 Speed 2.6GHz, 8GB RAM, 1 TB HDD Windows 7 professional or better or Windows 10 professional or better
- Uninterruptible power supplies for system equipment
- Network Switch device
- Server CMS Management set for centralized system management
- ADSL Router device (in case of need to link and view data from the center)

Installation characteristics

- The camera installation position is in the corner of the face, capturing the face directly. Saw both of the two faces and the angle of the face tilted not more than 15 degrees
- The camera's angle of detection must match the face. In the most parallel manner To make the system work as accurately as possible
- In case of mounting the camera to a high ceiling Have to retract the camera in the far corner And zoom the lens into the most visible face of the face
- The size of a person's face image must be large, about 1 in 10 of the whole picture. To make the system work as accurately as possible
- Details and dimensions of individual faces Between the black eyes, the sharpness of the picture is not less than 150 pixels. It helps to make the system work as accurately as possible.
- In the camera angle for capturing faces, people must not obscure objects. In order to obtain accurate information

TT SMART VISION

Face Recognition law enforcement



TT SMART VISION CO., LTD.

System installation restrictions

- Network Camera used to be a high resolution camera
- Select the software system that has been tested, installed and used And have clear reference information
- Should check the equipment that is used to support the software system used or not. Prevent problems with compatibility of devices.
- View and position in the camera installation Must be tested before actual installation. For the most accurate and accurate results
- The angle that captures a person's image Must have the characteristics of the image that is not directly tilted more than 15 degrees
- Portrait characteristics must not wear dark glasses. Or wearing a mask covering the mouth and nose completely
- Do not wear a hat in the manner of covering the eyebrows, eyes and eyes that affect the operation of the system.
- The grip area of the camera must not shake. Because it can cause data errors
- In the area where the camera captures, captures, analyzes, and recognizes faces, there must be no obscured objects. Because it will affect the accuracy and accuracy of the system


TT SMART VISION

Face Recognition law enforcement



TT SMART VISION CO., LTD.

Example of system operation



Face detection and recognition program Unlimited face

- The program can customize the program to suit the needs of customers.
- Compatible with all brands of CCTV cameras via ONVIF or RTSP standards

ติดต่อเรา : โทร. 062-365-6463

บริษัท ทีที สมารท วิชั่น จำกัด : 519/13 หมู่บ้านนาสาร 10 โพธิ์ชัย ถนนพหลโยธิน แขวงคลองจั่น เขตบึงกุ่ม กรุงเทพฯ 10240

